




For more information click here:

<https://www.gufero.com/eshop-kategorie-klinove-remeny.html?lang=2>

V-BELTS GUFERO®

Type		Cross section / width of belt
Wrapped Classic section		5 5,5 6 6,5 8 Z10 A13 B17 20 C22 25 D32 38 E40
Wrapped Narrow section		SPZ 9,7 SPA 12,7 SPB 16,3 SPC 22,0
Wrapped Variable speed		H36 HL45 HM50
Wrapped Banded		2-HB 3-HB 4-HB 5-HB 2-15J 3-15J 4-15J 5-15J 2-25J 3-25J
Wrapped Double sided		AA-13 BB-17 CC-22
Raw edge Narrow section automotive		AVX-10 AVX-13 AVP-13
Raw Edge Narrow section		XPZ 9,7 XPA 12,7 XPB 16,3
Raw edge classic section		X8 XZ10 XA13 XB17 X20
Raw edge Variable speed for industrial use		W25 28 30 W31,5 W40 W50
Raw edge Variable speed for agricultural use		HH-AGRO HL-AGRO HM-AGRO



Marking of length of the V-Belts:
 Li = inner length of the belt
 Lp, Lw, Ld = calculated length of belt
 La = outer length of the belt




V-BELTS GUFERO®

For more information click here:

<https://www.gufero.com/eshop-kategorie-klinove-remeny.html?lang=2>

Type		Cross section / width of belt
V-ribbed belts (PJ)		3-PJ 4-PJ 5-PJ 6-PJ 7-PJ 8-PJ 9-PJ 10-PJ 16-PJ 18-PJ
V-ribbed belts (PK)		3-PK 4-PK 5-PK 6-PK 7-PK 8-PK 9-PK 10-PK 12-PK 15-PK
Polyurethane Classic		3M 5M
Polyurethane banded		5M/2 5M/5 5M/12
Timing belts		GT3 GT2 GT CARBON TP HTD/GT2 HTD CTB TP-CTB
Timing belts - special	send inquiry by e-mail: office@gufero.cz or call a phone: 00 420 777 666 555	



Marking of length of the V-Belts:

Li = inner length of the belt
Lp, Lw, Ld = calculated length of belt
La = outer length of the belt



RADIAL SHAFT SEALS GUFERO®

For more information click here:

<https://www.gufero.com/eshop-kategorie-gufera-hridelove-tesnici-krouzky.html?lang=2>

Type		Type of material	Cross section
Oil seals G / WA		NBR	
Oil seals GP / WAS		NBR	
Oil seals GP DS AV / A/BS		NBR	
Oil seals special NBR 70Shore	TYP TE66.35, TE 118.42, AT (Škoda), ATR (AVIA), TE 91.35, ATS 621.32 (Liaz), AT (Zetor), DC (2 tensioning spring), G 905.32, G 637.32, G 368.32, G 657.32, oil seal without tensioning spring		

Oil seals G / WA		MVQ	
Oil seals GP / WAS		MVQ	
Oil seals G V / WAK Oil seals G DL V / WAK LD Oil seals G DP V / WAG RD		MVQ	
Oil seals GP V / WAG Oil seals GP DL V / WAG LD Oil seals GP DP V / WAG RD		MVQ	
Oil seals G DL / WA DL		MVQ	
Oil seals GP DL / WAS LD		MVQ	




d = Inside diameter D = Outside diameter b = Height
<p>G = oil seal GUFERO® without duster GP = oil seal GUFERO® with duster DL - left-handed rib profile of the seal surface of GUFERO® shaft seals DP - right-handed rib profile of the seal surface of the GUFERO® shaft seals DS - double-sided hydrodynamic type of the seal surface of the GUFERO® shaft seals V - wave-type of the external surface of the GUFERO® shaft seals AV - wave-type version of the partially rubber-coated external surface of the GUFERO® shaft seals</p>



RADIAL SHAFT SEALS GUFERO®

For more information click here:
<https://www.gufero.com/eshop-kategorie-gufera-hridelove-tesnici-krouzky.html?lang=2>

Type		Material	Cross section
Oil seals G / VIA		FPM	
Oil seals GP / VIAS		FPM	
Oil seals GP DL V / WAG LD		FPM	
Oil seals FPM special		FKM TV 774.32 (Felicie) FKM TV 648.32 FKM TV 661.32	
Oil seals ACM (PA) G / WA		G G 528.32 G 554.32 G 524.32	



<p>d = Inside diameter D = Outside diameter b = Height</p> <p>G = oil seal GUFERO® without duster GP = oil seal GUFERO® with duster DL - left-handed rib profile of the seal surface of GUFERO® shaft seals V - wave-type of the external surface of the GUFERO® shaft seals</p>

USIT BONDED SEAL

For more information click here:
<https://www.gufero.com/eshop-kategorie-usit-krouzky.html?lang=2>

Type		Material	Cross section
USIT US		NBR70	
USIT USS		NBR70	



For more information click here:

<https://www.gufero.com/eshop-kategorie-manzety.html?lang=2>

U-PACKING GUFERO®

Product name	Cross section	Material	Type	Use
U-ring PAB NBR		NBR	PN 02 92 60.3	pneumatic seals
U-ring PAI NBR		NBR	U10	pneumatic seals
U-ring PAJ NBR		NBR	U20	pneumatic seals
U-ring PAG NBR		NBR	PN 02 92 65.3	pneumatic seals
U-ring PAD NBR		NBR	PN 02 92 70.3	pneumatic seals
U-ring PAA NBR		NBR	PN 02 92 68	pneumatic seals
U-ring PAH NBR		NBR	PN 02 92 69.1	pneumatic seals
U-ring PAE NBR		NBR	PN 02 92 70.2	pneumatic seals
U-ring TTU universal PU		PU	PN 09 92 69.3	hydraulic seals
U-ring TTE PU		PU	PN 02 92 74	hydraulic seals
U-ring TTI PU		PU	PN 02 92 75	hydraulic seals
Wiper ring GHP PU		PU	PN 02 92 95	hydraulic seals
Full Cuff Bowl BSA SBR Bowl cuff with sensor BSB SBR		SBR	PN 02 92 72 PN 02 92 73	hydraulic seals
Compact DAS NBR/PES		NBR/PES	five peace set	



O-RINGS GUFERO®

For more information click here:
<https://www.gufero.com/eshop-kategorie-o-krouzky.html?lang=2>

Material		Shore
O-ring NBR		70Shore 80Shore 90Shore
O-ring MVQ		50Shore 60Shore 70Shore 80Shore
O-ring FPM		75 Shore
O-ring EPDM		60Shore 70Shore 80Shore 90Shore



O-ring dimenstions:
d1 = Inside Diameter, **T** = Thickness

X-RINGS GUFERO®

X-ring NBR		70 Shore
------------	--	----------

O-RING CORDS GUFERO®

O-ring Cords NBR O-ring Cords MVQ O-ring Cords FPM O-ring Cords EPDM		Round 70Shore Square 70Shore
---	--	---------------------------------



SPONGE CORDS

For more information click here:
<https://www.gufero.com/eshop-kategorie-mikroporezni-snury.html?lang=2>

Material		Material
Round		EPDM
Round lightened		EPDM
Square		EPDM
Square lightened Square lightened glued		EPDM
Rectangular Rectangular glued		EPDM
Rectangular lightened Rectangular lightened glued		EPDM

Other profiles
-184 types in offer




For more information click here:

SEGER CIRCLIPS GUFERO®

<https://www.gufero.com/eshop-kategorie-segerove-pojistky.html?lang=2>

Type		Type	Material
Circlips for Shafts / (EXTERNAL) DIN 471		DIN 471	elastic steel
Circlips for bores / (INTERNAL) DIN 472		DIN 472	elastic steel
E-Rings / DIN 6799		DIN 6799	elastic steel elastic steel - galvanized stainless steel
STARLOCK DIN6797 J		DIN6797 J	elastic steel




E-rings dimensions:
d = inside diameter, **s** = height

For more information click here:

FLAT SEALINGS GUFERO®

<https://www.gufero.com/eshop-kategorie-ploche-tesnici-krouzky.html?lang=2>

Material		Type	Material
Copper washer - Flat sealing ring CU (copper)		DIN 7603 A	copper
Aluminium washer - Flat sealing ring AL (aluminium)		DIN 7603 A	aluminium
Fibre washer - washer FIBRE		DIN 7603 A	fibre



Flat sealings dimensions:
Da = Outside diameter, **Di** = Inside diameter, **V** = Height



For more information click here:

HOSE CLAMPS GUFERO®
<https://www.gufero.com/eshop-kategorie-hadicove-spony.html?lang=2>













Type		Material
MINI 9		W1 W4 (W1=galvanized steel, W4=stainless chromium-nickel steel)
EURO 9 EURO 12 EURO 9 Butterfly		W1 W2 W4 (W1=galvanized steel, W2 = stainless chromium steel, W4=stainless chromium-nickel steel)
GERMANY 9 GERMANY 12		W1 W2 W4 (W1=galvanized steel, W2 = stainless chromium steel, W4=stainless chromium-nickel steel)
AMERIC 8 AMERIC 12 AMERIC 14 AMERIC 16		W1 W2 W4 (W1=galvanized steel, W2 = stainless chromium steel, W4=stainless chromium-nickel steel)
GBS / SGB GBS DOUBLE		W1 (W1=galvanized steel)
Wire clamps DDK Double		W1 (W1=galvanized steel)
Fixing clamps F15		W1 (W1=galvanized steel)
2-Ear hose clamp HSD		cast iron
2-Ear hose clamp HSD		W1 (W1=galvanized steel)
Flexible screwdriver		Screwdriver M7
Pincer		Pincer standard 1098 Pincer side 1099
Endless waistline of hose clamps	Satex perforated band, Satex housing for perforated band, MOTEX NONperforated band, MOTEX clamp, MOTEX set NONperforated, GE BAND, GE CLAMP, GE SET	



LUBRICAT. EQUIPMENT

For more information click here:

<https://www.gufero.com/eshop-kategorie-mazaci-technika.html?lang=2>














Type		Type	Thread diameter
Conical straight / DIN71412		DIN71412-A	M6 M8 M10 M12 KM6 G1/8in G1/4in R1/8in
Conic 45° / DIN71412 Conic 90° / DIN71412		DIN71412-B DIN71412-C	M6 M8 M10 R1/8in R1/4in
Flat - hexagonal		DIN3404	M6 M8 M10 M12 G1/8in G3/8in G1/4in
Flat round / DIN3404		DIN3404	M6 M8 M10 M12 M16 G1/8in G1/4in G3/8in
Conic for crimping / DIN71412		DIN71412	6.1 8.1 10.1
Funnelled for crimping / DIN3105 Funnelled with thread / DIN3405		DIN3105 DIN3405	6.1 8.1 10.1 M6 M8 M10
Grease bungs with thread Grease bungs for crimping		PN231476 PN231475	M5 M6 M8 M10 6 8 10 12
Grease couplers		Grease coupler chuck 4-jawed, Grease coupler large, Grease coupler small, Grease coupler pressure, Grease coupler spiky	
Extension		Extension crooked chuck - 4 jawed, Extension straight pressure, Extension crooked pressure, Extension crooked small spiky, Extension straight spiky, Extension crooked large spiky, Extension from PVC	
Hoses for guns / DIN1283		DIN 1283	hose lenght 250, 300, 500, 1000 nebo 2000
Grease guns		MINI ECONOMY PISTOL with accessories	
Cover to grease nipple from PVC Oil gauges Oil cans		Cover to grease nipple from PVC - M8 Oil Gauges - PN231480 Oil can - PVC, PVC - FE, PVC AUTOMATIC	



RUBBER SHEETS and RUBBER ROLLS GUFERO®

For more information click here:

<https://www.gufero.com/eshop-kategorie-pryzove-desky-plocha-guma.html?lang=2>







Type		Material	Shore	Width (mm) x Lenght (mm)
Rubber rolls		NBR SBR MVQ EPDM NEOPREN	65Shore ± 5Shore	1200 x 10000
Rubber rolls with ply		NBR SBR EPDM	65Shore ± 5Shore	1200 x 10000
Rubber sheets		SBR NBR	65Shore ± 5Shore	800x1200
Sponge Rubber Sheets		Material EPDM 10		980 x 1480 1000 x 2000
Ribbed matting / Anti-slip rubber		S1 S2 S3 S4 S5 S6 S7 S20 black		1200 x 10000
Ribbed matting / Anti-slip rubber		S8 black S8 grey		1200 x 10000
Ribbed matting / Anti-slip rubber		S9 CHECKER black		1200 x 10000
Ribbed matting / Anti-slip rubber		S10 black		1200 x 10000
Ribbed matting / Anti-slip rubber		S11 RHOMBOID black		1200 x 10000
Ribbed matting / Anti-slip rubber		S12 DIAMANT KARO black		1200 x 10000
Ribbed matting / Anti-slip rubber		S14 CORD IMPRESSION black		1200 x 10000
Ribbed matting / Anti-slip rubber		S15 ORANGE PEEL black		1200 x 10000
Grass rubber mat		type R black		600 x800 1000 x 1500



JOITING SHEET NON ASBESTOS GUFERO®

For more information click here:

<https://www.gufero.com/eshop-kategorie-bezazbestove-tesnici-desky.html?lang=2>

Type / Material		Color	Width (mm) x Lenght (mm)
GFM 390 blue		blue	1500 x 1500
GFM 370 red		red	1500 x 1500
GFM 300 blue		blue	1500 x 1500
GFM 320 green		green	1500 x 1500
GFM 450 CF black		black	1500 x 1500
GFM 390 STEEL		blue	1500 x 1500

Type	Density (gm/cm ³)	Compressibility (%)	Maximum continuous temperature (°C)	Maximum temperature (°C)	Maximum operating pressure (kg/cm ²)
GFM390	1,5 – 1,9	7-15	250	350	70
GFM 370	1,7 – 2,0	7-15	250	400	100
GFM 300	1,7 – 2,0	7-15	250	400	100
GFM 320	1,7 – 2,0	6-12	250	440	150
GFM 450 CF	1,7 – 2,0	7-12	250	500	100
GFM 390 STEEL	1,7 – 2,0	7-12	250	450	90

PAPER GASKET GUFERO® Rotes Z 55

For more information click here:

<https://www.gufero.com/eshop-kategorie-tesnici-papir-rotas-z-55.html?lang=2>

Type		Width (mm) x Lenght (mm)
Sealing paper - Rotes Z 55		1000 x 700






Sealing paper - Rotes Z 55: Maximum continuous temperature 120°C, Maximum temperature 150°C, Compressibility 15-35%



HOSES GUFERO®

For more information click here:

<https://www.gufero.com/eshop-kategorie-hadice.html?lang=2>

Material		Type of use
Rubber		Rubber /Brakes
Rubber		Steam, Hot Water
Rubber		Petrol Oil
GAS		Acetylene Oxygen Propan-butane
PVC		Garden Petrol transparent



Hoses dimensions:


Di = Inside Diameter, **Da** = Outside Diameter




For more information click here:

RUBBER GROMMETS GUFERO®

<https://www.gufero.com/eshop-kategorie-pryzove-pruchodky.html?lang=2>

Type		Shore	Material
Rubber Grommets		45-55 Shore	NBR, black, white
Cable Grommets PVC		45-55 Shore	PVC, black, white
Cable Grommets PVC		45-55 Shore	PVC / type 2 type 1



Rubber Grommets dimensions:

d = internal diameter of the grommet, **t** = thickness of the grommet,
d1 = hole diameter of metal

For more information click here:

CABLE CLAMPS GUFERO®





<https://www.gufero.com/eshop-kategorie-kabelove-spony.html?lang=2>

Type		Colour	Material
Cable clamps		black, white	PVC

For more information click here:

CABLE TIES

<https://www.gufero.com/eshop-kategorie-stahovaci-pasky-cable-ties.html?lang=2>


Type		Colour	Material
Disposable cable ties Reusable Cable tie		black, white, red	nylon
Marker Beaded Cable tie		red, yellow, blue, green	nylon
Rectangle Marker Cable tie Circle Marker Cable tie Oval Marker Cable tie		white, red, yellow, blue, green	nylon
Loop pins		white, red, yellow, blue, green	PP



SILENTBLOCKS GUFERO®

For more information click here:
<https://www.gufero.com/eshop-kategorie-silentbloky.html?lang=2>

Type		Material / Shore
Type A		material NK(NR) 55 Shore
Type B		material NK(NR) 55 Shore
Type C		material NK(NR) 55 Shore
Type D		material NK(NR) 55 Shore
Type E		material NK(NR) 55 Shore
Type AH		material NK(NR) 55 Shore
Type KGD, Type KGE		material NK(NR) 55 Shore
Type F, Type FF Type FD, Type FE		material NK(NR) 55 Shore
Type TPA, TPB, TPC Type SPA, SPB, SPC		material NK(NR) 55 Shore
Type GP Type GH Type IS		material NK(NR) 55 Shore






Silentblocks dimensions:
D = Outside Diameter, H = Height, g = Thread, I = Thread Length



ROPES CLIPS GUFERO®

For more information click here:




<https://www.gufero.com/eshop-kategorie-lanove-svorky.html?lang=2>

Type		Type	Material
Rope clip according to DIN 741		DIN 741	galvanized steel
Simplex		DIN 472	galvanized steel stainless steel
Duplex		DIN 6799	galvanized steel stainless steel

TURNBUCKLES GUFERO®

For more information click here:


<https://www.gufero.com/eshop-kategorie-lanove-napinaky-din-1480.html?lang=2>

Type		Type	Material
EYE-EYE		DIN 1480 RR	steel
HOOK-EYE		DIN 1480 RH	steel
HOOK-HOOK		DIN 1480 HH	steel

LIFTING EYE BOLTS GUFERO®

For more information click here:



<https://www.gufero.com/eshop-kategorie-zavesna-oka.html?lang=2>

Type		Type	Material
EYE Screw / DIN 580 EYE Nut / DIN 582		DIN 580 DIN 582	heavy duty steel, galvanized

SNAP HOOKS and MAILLONS

For more information click here:

<https://www.gufero.com/eshop-kategorie-din56926-rychlospojka.html?lang=2>







Type		Type	Material
Snap hooks without eye Snap hooks with eye		DIN 5299 DIN 5299A	steel stainless steel
Quick-links (Maillons)		maillons	galvanized steel



LINCH PINS

For more information click here:







<https://www.gufero.com/eshop-kategorie-zavlacky.html?lang=2>

Type		Type	Material
R-clips SINGLE		DIN 11024E	high quality elastic steel
R-clips DOUBLE		DIN 11024D	high quality elastic steel
Straight lock pins		DIN 11023	galvanized steel stainless steel
Lock pins for tubes		DIN 11023	galvanized steel stainless steel
Cotter Pin DIN94		DIN 94	galvanized steel
Safety pin			galvanized steel

LOCK PINS

For more information click here:


<https://www.gufero.com/eshop-kategorie-pojistne-cepy.html>


Type		Material
Hitch pin – chain		galvanized steel
Hitch pin – R-pin		galvanized steel
Hitch pin – red head – R-pin		steel
Bent pin – R-pin		galvanized steel
Clives pin – 7 holes		galvanized steel
Clives pin – 1 hole		galvanized steel



SPRING PIN DIN 1481

For more information click here:
<https://www.gufero.com/eshop-kategorie-pojistne-koliky-din-1481.html?lang=2>




Type		Norm	Material
Spring pin DIN 1481		DIN 1481	surface blackening - spring steel



Dimensions:
L1/D4 = lenght, D1/D3 = diameter

SHACKLES and THIMBLES




Pro více informací klikněte zde:
<https://www.gufero.com/eshop-kategorie-trmeny-a-ocnice.html>

Type		Material
D-Shackles		E.G.
Shackles Omega		E.G.
Thimbles for rope DIN 6899B		galvanized steel



For more information click here:



CONTROL CABINET KEYS

<https://www.gufero.com/eshop-kategorie-klince-pro-rozvodne-skrine.html?lang=2>



Type		Type	Material
Control Cabinet Key - three-edged		DIN EN 1562	malleable cast iron galvanized zinc
Control Cabinet Keys - square		PN 423562	galvanized zinc
Control Cabinet Key - Other *		PN 423562	galvanized zinc

* Water tap key - square, Control Cabinet Key - D, Control Cabinet Key With flags etc.



Type		Type	Material
Socket key - square		PN 423562	malleable cast iron galvanized zinc
Special keys - universal *		PN 423562	galvanized zinc nickel-plated zinc

* Universal key with eye, universal key A, B, C, D, E, F, universal key LK1, LK2, LK3, LK4, LK5, LK6, universal key 07 Electrical V4227, universal key 08 Construction V4228





For more information click here:

THREAD SEALS






<https://www.gufero.com/eshop-kategorie-instalaterska-tesnici-paska-ptfe.html?lang=2>

Plumbing PTFE sealing tape

Type		Width	Material
Plumbing PTFE sealing tape		12mm	PTFE
Plumbing PTFE sealing tape		25mm	PTFE

Thread seal cord


Type		Length	Material
Thread seal cord		20m	PA
Thread seal cord		50m	PA
Thread seal cord		80m	PA
Thread seal cord		150m	PA



PLUGS, CAPS

For more information click here:
<https://www.gufero.com/eshop-kategorie-zatky-zaslepky-krytky.html?lanq=2>




Type		Colour	Material
Round plug		black, white, grey	PE-LD
Plug for square tubes		black, white, grey	PE-LD
Plug for rectangular tubes		black, white, grey	PE-LD



Round plug dimensions:
D = Outside diameter, s = Side thickness

SUCTION PADS


For more information click here:
<https://www.gufero.com/eshop-kategorie-prisavky.html>

Type		Type	Colour
Universal Suction Pads		YG natur	Natur
Suction Pads under Glass		GVC natur, GUR natur	Natur
Suction Pads under Glass		UHS 25, UHS 35	Natur

RUBBER DOOR STOP

For more information click here:
<https://www.gufero.com/eshop-kategorie-dorazy.html>

Type		Type	Colour
Rubber Door Stop FBP		FBP	Black
Rubber Door Stop PT		PT	Black



FIXING TECHNOLOGY

For more information click here:

<https://www.gufero.com/eshop-kategorie-zavesova-technika.html?lang=2>

Minimum order for 60 Euros

	Type	
Steel Clamps U-bolt		QuickLock pipe clamp, Single screw pipe clamp, Pipe clamp type, Insulating pipe clamp KX 25mm, Clamp type SC for profile, U-bolt, Double pipe clamp, ...
PLastic Clips		Single plastic pipe clamp with stirrup UNI, Single plastic pipe clamp CPR, Double plastic pipe clamp CPR, single pipe cover CPR, Floor clamp type CPR - A, ...
Mounting Accessories		Saddle clamp UNIVERSAL, Horizontal strut, Mounting angle bracket, fixing rails connector ST, Slide T-bolt assembly, Slide nut for fixing rail, Wall plate, Sliding sledge, ...
Special Anchoring		Beam clamp, Safety holder for beam clamp, Hammer clip type H, Trapezial sheet hanger TZ regulation nut, Jaws for hand pliers to threaded rods, ...
Air Conditioning		Pipe clamp for ventilation, Hanger type, Tightening clamp type C, Sealing aluminum tape by width, ...
Fixing rails, Cantilever Arms and Supporting Channels		Fixing rail 1.25, ST 1.5, ST2.5, ST 2.5 double mounted, Perforated channel L2,0, L3,0, U2,0, U3,0, Cantilever arm 1.25, 1.75, 2.0, Cantilever arm, ...
Gas Meter Spacers		Spacer flat short, Spacer flat long, Spacer regulation short, Spacer regulation long
Sanitary Installations		ing kit for WC, Fixing kit for urinal, Fixing kit for wash basin, Fixing kit for boilers, Fixing kit for boilers with wall plug, Fixing kit for wash basins, ...
Anchor Components		Wall plug brown H, Wall plug, Knock-in wall plug countersunk N, Wall plug NYLON, Foldable wall plug NYLON, Drop-in anchor type ZK with collar, Brass anchor type ZK, Anchor bolt, ...
Fasteners		Wood screw COMBI, Knock-in screw COMBI with wall plug, Threaded hollow rod, Threaded rod, Stud bolt, Hexagon nut DIN934, Connecting nut DIN6334, Wing nut, Spring washer, ...
Ropes, Chains, Accessories		Steel rope ČSN024311, Welded chain, short link DIN 5685-A, Knotted chain DIN5686, rope clamp 3 DIN741 for rope, Eyecup DIN6899B for rope, ...